


L'azure



Project - Sheraton Grand Hotel  
Bengaluru, India



Project - Colliers Office  
Mumbai, India



Project - Equinox Business Park  
Mumbai, India



# L'azure

## BY THE DESIGNERS - FOR THE DESIGNERS

L'azure believes in an ecosystem that thrives on design. Design has a social impact on lives as no other fundamental and we genuinely believe that lighting plays an important role in achieving that design.

At L'azure we passionately work towards achieving this goal by innovating on new technologies and product development to create lighting solutions that aid designers realise their vision. That requires a close association with the design community.

Being a truly multicultural and international organisation, it is our core belief to employ and utilise the best possible resources and enjoy the best of all worlds. This is achieved by not being country specific or region specific in our sourcing and production just like we are not country specific or region specific in our sales and projects in a world without boundaries.

With an immensely rich and diverse experience of close to half a century, we at L'azure believe that as a new day brings in new possibilities for life so does a new project bring in new possibilities for creativity in making this world a better place.

With this attitude we move forward as a young team that tries to make sense of the vivid world of lighting that is dynamic and changing at a pace like never before, breaking new boundaries and creating new opportunities.

## Recessed Downlights

Interior

### Allura - Deep Recessed, Different Facias & Modular



Aperture Fix & Accent - 3 Sizes  
7W-15W / 580lm-1325lm  
10° / 15° / 24° / 38° / 60°



Taper, Pinhole & Mini - 3 Sizes  
7W-15W / 485lm-1400lm  
10° / 15° / 24° / 38° / 60°



Fix & Tilt - 3 Sizes  
7W-15W / 610lm-1400lm  
10° / 15° / 24° / 38° / 60°



Round, Square & Deep - 2 Sizes  
10W-15W / 810lm-1285lm  
10° / 15° / 24° / 38° / 60°

### Allura Neo - Deep Recessed, Fixed & Adjustable fixtures



Neo SF Trim & Trimless - 3 Sizes  
7W-12W / 595lm-1080lm  
15° / 24° / 38° / 60°



Neo MF Trim & Trimless - 3 Sizes  
12W-20W / 1020lm-1800lm  
15° / 24° / 38° / 60°



Neo LF Trim & Trimless - 3 Sizes  
20W-30W / 1700lm-2700lm  
15° / 24° / 38° / 60°

### iSkew - Miniature Fixtures & Niche Lights



Flat Mini Fix & Tilt, Midi Tilt  
5W-7W / 370lm-550lm  
15° / 24° / 38°



Deep Mini & Midi Accent  
5W-7W / 355lm-535lm  
15° / 24° / 38°




Niche Micro, Midi, Mini, Deep & Tilt  
1W-3W / 57lm-234lm  
10° / 15° / 24° / 38° / 60°



Fix & Tilt  
7W / 595lm-630lm  
15° / 24° / 38°


### Opus - Low Depth, IP Rated, Wallwash & Extra Wide Beam



Interior & Exterior Trim & Trimless  
10W-35W / 885lm-2770lm  
15° / 24° / 38° / 60°



Diffused Trim & Trimless - 4 Sizes  
10W-35W / 770lm-2900lm  
Diffused



Wide Trim & Trimless - 4 Sizes  
10W-35W / 835lm-2925lm  
90°



Wallwash Trim - 4 Sizes  
10W-35W / 715lm-2635lm  
Wallwash

## Recessed Downlights

Interior

### Tenace Round - Premium, Deep Recessed, Multiple Sizes, Fixed & Adjustable, Surface & Pendant



Round Trim & Trimless - 1 Size  
7W / 630lm-665lm  
15° / 24° / 38°



Round Trim & Trimless - 3 Sizes  
5W-30W / 425lm-2745lm  
15° / 24° / 38° / 60°




Capsule Trim & Trimless - 3 Sizes  
2x5W-30W / 2x425lm-2745lm  
15° / 24° / 38° / 60°




Square Trim & Trimless - 3 Sizes  
5W-30W / 425lm-2745lm  
15° / 24° / 38° / 60°



Frame Trim & Trimless - 3 Sizes  
2x5W-30W / 2x425lm-2745lm  
15° / 24° / 38° / 60°



Quadran Trim & Trimless - 3 Sizes  
5W-30W / 425lm-2745lm  
15° / 24° / 38° / 60°



Cylinder Glow - Surface  
3W+9W-3W+27W  
Diffused / 15° / 24° / 38°



Cylinder Glow - Pendant  
3W+9W-3W+27W  
Diffused / 15° / 24° / 38°


### Tenace Swivel - Premium, Tilt & Rotate, Multiple Sizes, Gimbals



Round Trim & Trimless - 3 Sizes  
7W-35W / 585lm-3065lm  
10° / 15° / 24° / 38° / 60°



Capsule Trim & Trimless - 3 Sizes  
2x7W-35W / 2x585lm-3065lm  
10° / 15° / 24° / 38° / 60°



Square Trim & Trimless - 3 Sizes  
7W-35W / 585lm-3065lm  
10° / 15° / 24° / 38° / 60°



Frame Trim & Trimless - 3 Sizes  
2x7W-35W / 2x585lm-3065lm  
10° / 15° / 24° / 38° / 60°

### Tenace Pullout - Premium, Pullout, Multiple Sizes



Round Trim & Trimless - 3 Sizes  
7W-25W / 605lm-2250lm  
10° / 15° / 24° / 38° / 60°



Capsule Trim & Trimless - 3 Sizes  
2x7W-25W / 2x605lm-2250lm  
10° / 15° / 24° / 38° / 60°



Square Trim & Trimless - 3 Sizes  
7W-25W / 605lm-2250lm  
10° / 15° / 24° / 38° / 60°



Frame Trim & Trimless - 3 Sizes  
2x7W-25W / 2x605lm-2250mm  
10° / 15° / 24° / 38° / 60°

Recessed Downlights


Hyeya - General Lighting Recessed



Flat - 5 Sizes  
10W-40W / 825lm-3490lm  
60°



Basix - Deep Round - 4 Sizes  
7W-32W / 650lm-3290lm  
Diffused



Basix 2x2 - 1 Size  
45W / 4180lm  
Diffused

Trinsic - Recessed



Recessed - 4 Sizes  
7W-35W / 570lm-2695lm  
10° / 15° / 24° / 38°



Twist - Recessed  
10W-15W / 885lm-1410lm  
15° / 24° / 38°



Twist - Stick  
5W / 370lm  
10° / 15° / 24° / 38° / 60°

Surface Downlights

Hyeya - General Lighting Surface



Surface Round - 4 Sizes  
10W-30W / 735lm-2330lm  
60°



Surface Square - 4 Sizes  
10W-30W / 735lm-2330lm  
60°

Surface Downlights

Trinsic - Surface Cylinders



Surface Tilt - 4 Sizes  
7W-35W / 570lm-3015lm  
10° / 15° / 24° / 38°



Surface - 4 Sizes  
7W-35W / 570lm-3015lm  
10° / 15° / 24° / 38°



Twist - Surface  
10W-15W / 885lm-1410lm  
15° / 24° / 38°

Track Downlights

Trinsic - Track Spots



Disc - 2 Sizes  
10W-18W / 830lm-1575lm  
15° / 24° / 38°



Ace - 3 Sizes  
10W-30W / 830lm-2695lm  
10° / 15° / 24° / 38°



Track - 4 Sizes  
7W-35W / 570lm-2695lm  
10° / 15° / 24° / 38°





Wash  
30W / 2510lm  
Wallwash


## Aeonic - Linear Downlights

Linear

Aeonic - Brick, Circle, Trim, Trimless, Wallwash & Surface available



- Linear wallwash optic lens
- Available in 3, 5 & 10 lamp units




Ceiling protection trimless mounting with inbuilt "Push to Release" switch enabling easy access to fixture and driver for installation & maintenance



## Aurele - Bendable Profile

Linear



## Aurele - Round General Lighting



Polo Surface - 4 Sizes  
18W-72W / 1560lm-6460lm  
Diffused



Polo Pendant - 4 Sizes  
18W-72W / 1560lm-6460lm  
Diffused



Ring Surface - 4 Sizes  
36W-90W / 3120lm-8075lm  
Diffused



Ring Pendant - 4 Sizes  
36W-90W / 3120lm-8075lm  
Diffused

## Aurele - Office Semi-Decorative Pendant



Inwards - 3 Sizes  
36W-72W / 2790lm-5890lm  
Diffused



Outwards - 3 Sizes  
36W-72W / 2790lm-5890lm  
Diffused



Glow - 3 Sizes  
36W-72W / 2790lm-5890lm  
Diffused



Omni - Horizontal  
30W / 2535lm  
Diffused



Omni - Vertical  
30W / 2535lm  
Diffused



Dome  
24W+10W / 2080lm+890lm  
Diffused



Cone  
24W / 2080lm  
Diffused




Mesh  
24W / 2080lm  
Diffused

# Incis, Numinous & Acumis - Profile


Acumis - Diffused, Microprismatic - Recessed, Surface & Pendant



Pendant





Recessed




Linear

L'azure Exclusive 30 meter continuous Microprismatic diffuser.


## Numinous - Modular Profiles



Blank




Wash



Diffused




Brick




Blank

## Incis



## Numinous



## Acumis



## Joule Invi - Magnetic Track, Ultra-Thin Variants

Linear

### Invi Recessed Track

- L'azure exclusive ultra thin 10mm magnetic track
- Preset Gypsum ensures a crack free seamless installation
- Decorative pendant options also available



### Invi Pendant Track

- L'azure exclusive ultra thin 10mm magnetic track
- 2 Installation Methods : Pendant & Surface
- Up-lighting option available
- Decorative pendant options also available

## Joule Discreet- Magnetic Track, Ultra-Slim Variants

L'azure Exclusive  
Ultra slim "7mm" modular  
magnetic track.

No visible Track lines or  
grooves. A plain surface  
that blends with your  
ceiling



Wash

- Linear Wallwash Optic
- Uniform Wall Covering
- Tunable White
- Stress-free anti-glare output

Spot

- 2 Sizes
- Tunable White
- Multiple Optics
- Tilt, Rotate & Aim

Diffused

- 2 Sizes
- Uniform Diffused Output
- Tunable White
- High Quality Diffuser

Magnetic integrated Non-Dim power supply with no remote power supply required ensuring complete inbuilt system integration



Tilt

- 2 Sizes
- Tunable White
- Multiple optics
- Stress-free anti-glare output



Blank

- Color Coated Blank Cover
- Ensures Even Look & Feel
- Hides Inner Track Vision
- Custom Cut Lengths

Grid

- 2 Sizes
- Tunable White
- Multiple optics
- Stress-free anti-glare output

Dimming Options for Modules



- Analog
- DALI
- DALI Tunable



## Kosmos Linear


## Linear

### Kosmos - Linear Grazers & Flexible Grazers



- Precision wall graze output
- Bottom cable entry for looping
- RGB control with integrated DMX
- Fixed & Adjustable clamps for Kosmos 15

- Bending Radius of 300mm
- Flexible material with 360 bending in Flexi Wash
- Small Size of 18mm width & 9mm height in Flexi Line
- Mounting - fixed & adjustable clamps or rigid profile






## Svelte - Flexible LED Strip



Linear



- High Efficiency Strips
- High CRI >90
- Tunable & RGB Tunable
- RGB & RGBW
- Digital with on-board DMX
- Custom CCT available on demand



## Flexum - Flexible LED Flex



- IP67 & IP68 Available
- Mounting options - Clamp, Profile & Chain
- Top & Side Bend with 300mm bending radius
- No dark edges for wider flex with higher no of LEDs
- Digital onboard DMX & RGBW controls for facade
- Larger sizes of 70mm & 100mm available on demand



Front  
Cable Entry



Side  
Cable Entry




Bottom  
Cable Entry


# Indirect Light

# Linear

## Trax - Premium Cove, Skirting, Railing & Furniture Profiles



Cove Asymmetric M  
Svelte 6 / 12 / 24 / Tunable  
Diffused




Cove Asymmetric L  
Svelte 6 / 12 / 24 / Tunable  
Diffused




Cove Diffused  
Svelte 6 / 12 / 24 / Tunable  
Diffused




Cove Uplight M  
Svelte 6 / 12 / 24 / Tunable  
Diffused




Cove Uplight L  
Svelte 6 / 12 / 24 / Tunable  
Diffused



Cove Curved Corner  
Svelte 6 / 12 / 24 / Tunable  
Diffused




Cove Edge Angular  
Svelte 6 / 12 / 24 / Tunable  
Diffused




Cove Edge Flat  
Svelte 6 / 12 / 24 / Tunable  
Diffused




Floor Flat  
Svelte 6 / 12 / 24 / Tunable  
Diffused




Floor Curve S  
Svelte 6 / 12 / 24 / Tunable  
Diffused



Floor Curve M  
Svelte 6 / 12 / 24 / Tunable  
Diffused




Floor Surface  
Svelte 6 / 12 / 24 / Tunable  
Diffused




Ceiling S  
Svelte 6 / 12 / Tunable  
Diffused



Ceiling M  
Svelte 24 L  
Diffused



Ceiling Deep  
Svelte 24 L  
Diffused




Ceiling Indirect  
Svelte 6 / 12 / 24 / Tunable  
Diffused




# Indirect Light

# Linear


## Trax - Premium Cove, Skirting, Railing & Furniture Profiles




Ceiling Indirect TL  
Svelte 6 / 12 / 24 / Tunable  
Diffused




Wash Lens  
Svelte 6 / 12 / 24 / Tunable  
Diffused




Wall  
Svelte 6 / 12 / 24 / Tunable  
Diffused




Wall Up-Down  
Svelte 6 / 12 / 24 / Tunable  
Diffused



Railing  
Svelte 6 / 12 / 24 / Tunable  
Diffused



Shelf Recessed  
Svelte 6 Mini / 12 Mini  
Diffused



Shelf Surface  
Svelte 6 Mini / 12 Mini  
Diffused



Shelf Corner  
Svelte 6 Mini / 12 Mini  
Diffused



Hanger  
Svelte 6 / 12  
Diffused

## Base Mounted

Exterior

### Marcopia - Uplights & Planter Lights & Facade Projectors



Round - 3 Sizes

1W-12W / 85lm-1090lm

10° / 15° / 24° / 36° / 38° / 60°



Round - 5 Sizes

6W-90W / 510lm-7610lm

10° / 15° / 24° / 38° / 45° / 60°



Square - 5 Sizes

9W-120W / 790lm-10515lm

5° / 10° / 15° / 24° / 38° / 45° / 60°

### Peculo - Bollards & Street Lights



Pole - Stem

40W-60W / 4720lm-7290lm

4.0M / 6.0M



Pole - Stem Duo

2x40W-60W / 2x4720lm-7290lm

4.0M / 6.0M



Pole - Hollow - PL

2x20W / 2x2340lm

4.0M



Pole - Baton R

25W-40W / 2805lm-4610lm

3.0M / 4.0M



Pole - Parsol

30W / 3540lm

3.0M / 4.0M / 6.0M



Pole - Ring

40W / 4040lm

3.0M / 4.0M / 6.0M



Pole - Vintage

30W / 2940lm

3.0M / 4.0M



Pole - Crown

30W / 2940lm

3.0M / 4.0M



Bollard - Step

8W / 705lm

800MM



Bollard - Step Duo

2x8W / 2x705lm

800MM



Bollard - Even

8W / 685lm

600MM



Bollard - Effect

8W / 755lm

300MM / 600MM


## Base Mounted

Exterior

### Peculo - Bollards & Street Lights



Bollard - Smart  
12W / 1050lm  
725MM



Bollard - Hollow - BL  
2x7W / 2x630lm  
1000MM



Bollard - Stand  
10W / 865lm  
900MM



Bollard - Stump  
10W / 825lm  
900MM



Bollard - Basket S  
10W / 655lm  
250MM



Bollard - Basket M  
10W / 655lm  
450MM

## Inground Light

### Hypogean - Inground Fixtures



Hypogean Tilt  
6W-9W / 470lm-725lm  
10° / 15° / 30° / 45° / 60°



Fix - Micro  
1W / 73lm  
15° / 30° / 45° / 60°



Fix - Mini  
1W-3W / 73lm-223lm  
8° / 15° / 30° / 45° / 60°



Fix - R1  
1W-3W / 79lm-241lm  
8° / 15° / 30° / 45° / 60° / Asy



Fix - Rc3  
3W / 190lm  
60x1° / 60x2° / 60x3°




Hypogean Fix - 4 Sizes  
6W-24W / 470lm-1930lm  
8° / 15° / 30° / 45° / 60° / Asy

## Inground Linear Light

Exterior

### Hypogean Linear - Inground Fixtures



Hypogean Linear - 4 Sizes

3W-48W / 255lm-4155lm

8° / 15° / 30° / 45° / 10x60° / Asy

## Underwater Light

### Shuays - Underwater Fixtures



Shuays - Mini

1W-3W / 90lm-270lm

8° / 15° / 30° / 45° / 60°



Shuays - R1

1W-3W / 90lm-270lm

8° / 15° / 30° / 45° / 60° / 90° / Asy



Shuays - R3

6W-9W / 540lm-805lm

8° / 15° / 30° / 45° / 60° / 90° / Asy



Shuays - R6

12W-18W / 1075lm-1615lm

8° / 15° / 30° / 45° / 60° / 90° / Asy



Shuays - R9

18W-27W / 1615lm - 2420lm

8° / 15° / 30° / 45° / 60° / 90° / Asy



Shuays - R12

24W-36W / 2150lm-3230lm

8° / 15° / 30° / 45° / 60° / 90° / Asy



Shuays - R18

36W-54W / 3230lm-4845lm

8° / 15° / 30° / 45° / 60° / 90° / Asy



Shuays - Surface S3

6W-9W / 540lm-805lm

8° / 15° / 30° / 45° / 60° / 90°



Shuays - Fountain F9

18W-27W / 1615lm-2420lm

8° / 15° / 30° / 45° / 60° / 90°

## Wall Mounted

## Exterior

### Vibrance - Surface Exterior Cylinders & Exterior Wall Lights



Vibrance R - 4 Sizes  
5W-30W / 430lm-2740lm  
15° / 24° / 38° / 60°



Vibrance S - 4 Sizes  
5W-30W / 430lm-2740lm  
15° / 24° / 38° / 60°



Vibrance Wall R - 3 Sizes  
5W-20W / 430lm-1795lm  
15° / 24° / 38° / 60°



Vibrance Wall R Duo - 3 Sizes  
2x5W-20W / 2x430lm-1795lm  
15° / 24° / 38° / 60°




Vibrance Wall S - 3 Sizes  
5W-20W / 430lm-1795lm  
15° / 24° / 38° / 60°




Vibrance Wall S Duo - 3 Sizes  
2x5W-20W / 2x430lm-1795lm  
15° / 24° / 38° / 60°


### Willow - Step Lights & Recessed Wall Lights




Willow R  
3W / 239lm  
Asymmetric




Willow S  
3W / 239lm  
Asymmetric




Point R  
3W / 189lm  
Asymmetric




Point S  
3W / 189lm  
Asymmetric




Willow Glow  
3W / 148lm  
Diffused



Willow Cap  
3W / 164lm  
Diffused




Willow Plane  
5W / 380lm  
Asymmetric



Willow Ramp  
8W / 592lm  
Asymmetric

Wall Mounted

Willow - Step Lights & Surface Wall Lights



Willow Wall R  
6W / 355lm  
Asymmetric



Willow Wall S  
6W / 355lm  
Asymmetric

Willow - Streak Lights



Streak - Dome  
10W / 765lm  
Line Beam



Streak - Flat  
12W / 920lm  
Line Beam



**Middle East & Africa Region**

Lazure Worldwide FZE  
09-12, RAKFTZ Industrial Park,  
Ras Al Khaimah, United Arab Emirates

**Indian sub continent &  
Southeast Asia Region**

1 Aerocity, Corporate Park,  
Andheri - Kurla Road, Safed Pool,  
Shivaji Nagar, Jarimari Sakinaka,  
Mumbai - 400 072.

**Connect with us**

[info@lazureworldwide.com](mailto:info@lazureworldwide.com)

“...visual truth lies in the  
structure of light”

-Richard Kelly



L'azure

[www.lazurelighting.com](http://www.lazurelighting.com)